We put space to work.

Item # _

Job ___

Flexline® Carts and Drawers

Flexible options. Designed around you.

Flexline is designed with interchangeable components and accessories that can be combined in different configurations to conform to various applications.

- Infection Control: Flexline helps improve Infection Control with a cleaner design that includes corrosion proof polymer materials, smooth rounded corners to allow for easy cleaning and *Microban® Antimicrobial Product Protection that keeps the cart cleaner between cleanings.
- **Easy Mobility:** Lightweight polymer construction, integrated cart handles and 5" (127 mm) polyurethane casters, 2 directional and 2 total lock, provide for smooth transport and nimble maneuvering.
- Active Security: Security can range from simple key locks to advanced touchpads with an LCD display and up to 6,000 users. Basic and Advanced LCD touchpads can be upgraded with Proximity Card readers, and both types offer auto-locking and audit trail capability.
- Passive Security: Drawers can be individually sealed with serialized plastic security seals or simply place a seal on the cart latch and seal all drawers with one seal.
- Added Security: Additional secure storage may be had by specifying locking side bins. When ordered, these bins will be secured by the carts locking mechanism, either on the key lock side or passive lock side of the cart.
- Field Upgradeable: Drawers and many accessories may be added or reconfigured at the facility. Choose your drawers and accessories for today's application needs and change them to meet tomorrow's.
- Organization and Identification: Self-closing, full access drawers in a variety of heights, drawer dividers and labels, side storage accessories and an overbridge system are available to allow for easy access and identification of cart contents.
- Spacious Worksurface provides a smooth writing surface or ample space for prep work. For additional work space an optional pass through side shelf is available as an added bonus.
- **Identifiable:** Clean, contemporary design looks great in any professional environment. Ten drawer pull colors are available for easy identification of the cart or drawer purpose.
- Configurations That Fit Your Budget: Flexline is available in four heights and two widths and can be configured with or without a range of accessories, your choice!







Metro incorporates several elements in its product design to support a facility's infection control processes:

- Microban® antimicrobial protection helps keep products "cleaner between cleanings"
- Polymer and other proprietary finishes provide corrosion resistance
- Smooth rounded corners to allow for easier cleaning

Look for the "red check" symbol for this added protection



*Microban® antimicrobial product protection helps keep surfaces "cleaner between cleanings" by inhibiting the growth of bacteria, mold and mildew that cause odors and stains on the shelf surface.

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.

All Metro Catalog Sheets are available on our website: www.metro.com



L02-117e Printed in U.S.A. Rev. 9/21



Flexline® Carts and Drawers

Packages include carts and accessories.







Code Response Package FLCRP2



Code Response Package FLCRP3



Code Response Package FLCRP4



Code Response Pediatrics FLPED1



Anesthesia Package FLXANES1



Isolation Package FLISO1



Isolation Pediatrics FLISO3



Bedside Package FLBED



Treatment Package FLXTMENT1 & FLWTMENT1



Treatment Package FLTMENT2



Procedure Package FLXPROC1



Procedure Package FLXPROC2



Cast Package FLCAST



Endoscopic Package FLXENDO & FLWENDO



Dressing Package FLDRS

Flexline® Carts and Drawers











Med/Surge Package FLXMDSRG

Central Line Package FLXCLINE

Airway Package FLXAIR & FLWAIR

Nurse Server Package FLNURSE

Optional Drawer Pull Colors

Other drawer pull colors can be configured via Build-A-Cart from the Metro Healthcare Solutions Guide or the Metro Configurator. Both are accessible at Metro.com





Metro incorporates several elements in its product design to support a facility's infection control processes:

- Microban® antimicrobial protection helps keep products "cleaner between cleanings"
- Polymer and other proprietary finishes provide corrosion resistance
- Smooth rounded corners to allow for easier cleaning

Look for the "red check" symbol for this added protection



	Application-Specific Carts											Wifi						Wiffi						WiFi		
	wn on the previous pages are configured omponents and accessories listed here.			_	_		IS1					IN IN	Z12)C1)C2	M-LT		00			1	2	SRG	닏		Ж
Accessori	'	FLORPI	FLCRP2	FLCRP3	FLCRP4	F.PED1	FLXANES1	FLIS01	FLIS02	FLIS03	PLBED	FLXTMENT1	FLTMENT2	FLXPR0C1	FLXPR0C2	FLXCOM-LT	FLCAST	FLXENDO	FLDRS	FLXIV	FLXCCU1	FLCCU2	FLXMDSRG	FLXCLINE	FLXAIR	FLNURSE
Model No.	Description						_			4					0		4					4			V	
FL113	3" Drawer Divider Kit						1			1			2		3		1		2	2		1		2	X 1	
FL116 FL131	6"/9" Drawer Divider Kit Ampule Insert and 12 Divider for 3" Drawer Tray						2			3			2		1		1		<u> </u>	1		1				
FL151		2	2	2	3															1					-	
FL151	3" Drawer Divider Tray with Dividers 6" Drawer Divider Tray with Dividers	1	3	2	2																					
FL159 FL211		2		3	4													3			4	2	0			
FL211	Side Bin (1) — Locking Side Bin (1) — Non Locking	_		3	4		1	2						3	3	3	1	3	4		4	3	3	2	3	2
FL212 FL221	Waste Basket 28 Quart and Holder						4 X	_						3	J	J	4 X	J	X		4	J	1	X	3	_
FL234	O ₂ Tank Holder — Standard Cart, 4" diameter tank	X	Χ				^										^		^					^		
FL235	O ₂ Tank Holder — Standard Cart, 4" diameter tank O ₂ Tank Holder — 45" Tall Cart, 4" diameter tank		^		Х	Х																				
FL237	Glove Box Holder — Triple				^	^				X																
FL251	Lockable Sharps Container		Х				Х								Χ					Х			Х	Χ		
FL302	Cord Manager		X	X	Χ		^								^					^			^	$^{\wedge}$		
FL303	Defibrillator Strap Kit		X	/																						
LEC304	Adjustable Defibrillator Tray	Х	\ \ \	Х	Χ																					
	Hospital Grade 4-Outlet Strip and Holder	X	Х	X	Х									Х				Χ				Χ				
LEC306	Suction Pump Shelf	/ /	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	X	Х	X								/\				, ,				, ,				
LEC308	Backboard with Front Assembly Kit	Х		/ /		1																				
LEC309	Backboard with Back Assembly Kit		Х	X	Х	X																				
FL310A	Articulating Laptop Arm (wt. range 2-13 lbs.)															Χ										
FL318A	Articulating Monitor Arm (wt. range 7.5-25 lbs.)																	Χ								
FL313	Peel Pouch/Catheter Holder						Х																			
FL314	Pull Out Side Shelf			X	Х	X				Χ					Χ		Χ	Χ				Χ	Χ			
FL315	2HK I.V. Pole with Cart Mount	Χ	Х	Χ	Х	Χ		Χ		Χ										Χ						
LEC320	Plastic Security Seals 100 pack	Χ	Χ	Χ	Χ	Χ																				
FL402	Individual Drawer Seal Lock Bar — Flex 42" Cart			Χ																						
FL403	Individual Drawer Seal Lock Bar — Flex 45" Cart		ı			X	i																			
FLX412	Basic Touchpad (250 users, Auto Lock)											Χ								Χ					Χ	
FLX420	Advanced LCD Touchpad		i		İ		Χ							Х	Χ	Χ		Χ			Χ		Χ	Χ		
FLX420W	Advanced LCD Touchpad w/ Wireless		Г																						П	
FL510	Overbridge with 2 Hanger Rails						Χ							Х												
FL515	Overbridge with Top Shelf and Hanger Rail														Χ						Χ	Χ	Χ			
FL520	Overbridge with 2 Shelves																Χ									
FL544	Tilt Bin 4 for Overbridge						Х																			
FL546	Tilt Bin 6 for Overbridge						Χ														Х					
FL581	Half-Size Utility Bin													Х												
FL583	Label/Tape Dispenser													Х												
FL585	Wire Supply Basket														Χ							Х				
FL586	Utility Bin with Cover													Х									Х			
Carts																										
Model No.	Description																									
FL21P	36" (914 mm) Cart — Passive Lock	Х						Х																		Χ
FL24P	39" (991 mm) Cart — Passive Lock		Х																							
FL27P	42" (1067 mm) Cart — Passive Lock			X															Х							
FL30P	45" (1143 mm) Cart — Passive Lock				Χ	X			, ,								Χ									
FLN24P	39" (991 mm) Narrow Cart — Passive Lock								Χ	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \																
FLN30P	45" (1143 mm) Narrow Cart — Passive Lock									X										V						
FL24K	39" (991 mm) Cart — Key Lock													Х	\ \	\ /		\ \		Х		\ /	\ \		\/	
FL27K	42" (1067 mm) Cart — Key Lock						V								Х	Х		Х			V	Χ	Х		Х	
FL30K	45" (1143 mm) Cart — Key Lock						Х				\ /	\ <u> </u>									Χ			Х		
FLN21K	36" (914 mm) Narrow Cart — Key Lock										Χ	X	V												4	
FLN27K	42" (1067 mm) Narrow Cart — Key Lock												Х													
FL- Drawer Pull Color		FL-CB	FL-CB	FL-CB	FL-CB	FL-PED9	SB	FL-YL	\forall	FL-YL	FL-VL	FL-GR	FL-SB	FL-SB	FL-TPE	FL-SB	FL-OR	FL-GN	FL-SB	FL-RD	FL-RD	FL-RD	FL-GN	FL-DTE	FL-SB	۸L
Drawers	S	ΙĖ		ΙĖ	Ė	ΙĖ	Ė	ΙĖ	FL-YL		Ė		근	ᇉ		l É	Ë		Ė			Ė		교	리	Ė
Model No.	Description 3" (76 mm) Pull Out Shelf		L												1			1				1				
FL101	Keyboard Tray														'	1		1				'				
FL103L	3" (76 mm) Narcotics Box/Individual Locking Drawer						1									,										
FL103	3" (76 mm) Drawer	2	3	4	3	8	2		1	1	2	1	2	2	3	1	3	2	3	3	3	1	2	3	3	2
FL106	6" (152 mm) Drawer	1	1	1	2	1	2	2	2		1	3	2	1	0	2	2	_	Ĭ	1	2	1	2	2		1
FL109	9" (229 mm) Drawer	1	1	1	1		1	1	1	3	1		1		2	1	1	1	2	1	1	1	1	1	2	1
FL112	12" (305 mm) Drawer													1												
			_																							

METRO

We put space to work.

Flexline® Carts and Drawers

Specifications

- Cart Body: Blow molded high density polyethylene (HDPE) body panels and top with Microban antimicrobial product protection. Top has integrated push handle. Side panels provide integrated accessory strips to allow no tool assembly of most accessories. Bins are available as locking or non-locking.
- Cart Frame: Epoxy coated 14 gauge, cold rolled steel
- Locking Mechanism: 12 gauge stainless steel bar with polycarbonate drawer mounted lock tabs. Passive security provided for drawers and left side bins (optional) with plastic security seal. Key lock mechanism provided for drawers and right side bins (optional). Electronic touchpads are optional for key lock carts.
- Casters: Four 5" (127 mm) diameter stem casters with polyurethane tread and polymer horn: 2 Swivel lock Rear, 2 total lock (brake and swivel lock) Front.
- Wheel Base: Built-in extended base frame provides cart stability to adequately support articulating arms and overbridge accessories.
- Drawers: ABS injection molded drawer body, blow molded HDPE with Microban antimicrobial drawer front, ABS and Microban antimicrobial injection molded colored drawer pull and full extension, self-closing, ball bearing drawer slides.

Inside Dimension: 16 ³/₄" x 20" (425 x 508 mm)

	,
Weight Capacity	Inside Height
3'' (76 mm) = 15 lbs. (6.75 kg)	2.75" (70 mm)
6'' (152 mm) = 25 lbs. (11.25 kg)	5.75" (146 mm)
9" (228 mm) = 45 lbs. (20.25 kg)	8.75" (222 mm)
12'' (305 mm) = 45 lbs. (20.25 kg)	11.75" (298 mm)

• Pullout shelf: 1.75" (44mm) high epoxy coated 16 gauge cold rolled steel, with full extension, self-closing, ball bearing drawer slides. Weight Capacity: 45 lbs. (20.25kg)

Standard Cart Dimensions (D x L x H):

22 ³ / ₈ " x 32 ¹ / ₄ " x 45 ¹ / ₄ "	(568 x 819 x 1149 mm)
22 ³ / ₈ " x 32 ¹ / ₄ " x 41 ⁷ / ₈ "	(568 x 819 x 1064 mm)
22 ³ / ₈ " x 32 ¹ / ₄ " x 38 ¹ / ₂ "	(568 x 819 x 978 mm)
22 ³ / ₈ " x 32 ¹ / ₄ " x 35 ¹ / ₈ "	(568 x 819 x 892 mm)

Narrow Cart Dimensions (D x L x H):

22 ³ / ₈ " x 28 ⁷ / ₈ " x 45 ¹ / ₄ "	(568 x 733 x 1149 mm)
22 ³ / ₈ " x 28 ⁷ / ₈ " x 41 ⁷ / ₈ "	(568 x 733 x 1064 mm)
22 ³ / ₈ " x 28 ⁷ / ₈ " x 38 ¹ / ₂ "	(568 x 733 x 978 mm)
22 ³ / ₈ " x 28 ⁷ / ₈ " x 35 ¹ / ₈ "	(568 x 733 x 892 mm)







