


Item # \_

# WIRE SHELVING ACCESSORIES

#### Color Shelf Marker

Color code for effective organization. Snaps securely to the front edge of Super Erecta and Super Adjustable Super Erecta Wire Shelving.

	Shelf Marker Size	
Model No.	(in.) (mm)	Color
CSM6-B	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Blue
CSM6-G	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Green
CSM6-R	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Red
CSM6-T	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Tan
CSM6-W	6x1 <sup>1</sup> / <sub>4</sub> 152x32	White
CSM6-Y	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Yellow
CSM6-GR	6x1 <sup>1</sup> / <sub>4</sub> 152x32	Gray



#### Label Holders

It's easy to identify shelf contents with these snap-on plastic holders, available in four styles and a variety of sizes. Labels not included.

#### 1<sup>1</sup>/<sub>4</sub>" (32mm) Label Holders

Gray. Holds most commercial labels. Available in a variety of lengths.

	Labe	Size	Fi	ts She	lf Length
Model No.	(in.)	(mm)		(in.)	(mm)
9990P	3x11/4	75x32		Α	All I
9990P1	13x1 <sup>1</sup> /4	330x32		18	457
9990P2	19x1 <sup>1</sup> /4	480x32		24	610
9990P30	25x1 <sup>1</sup> /4	635x32		30	760
9990P3	31x1 <sup>1</sup> /4	725x32		36	914
9990P4	43x1 <sup>1</sup> / <sub>4</sub>	1090x32		48	1219
9990P5	55x11/4	1395x32		60	1520



11/4" (32mm) Label Holder

#### Clear Label Holders

Clear plastic allows decorator colors to show through. Holds most commercial 11/4" (32mm) labels.

	Labe	l Size	Fits Shelf Length
Model No.	(in.)	(mm)	(in.) (mm)
9990CL	3x11/4	75x32	All
9990CL1	13x1 <sup>1</sup> /4	330x32	18 457
9990CL2	19x1 <sup>1</sup> /4	480x32	24 610
9990CL30	25x11/4	635x32	30 760
9990CL3	31x1 <sup>1</sup> /4	725x32	36 914
9990CL4	43x11/4	1090x32	48 1219
9990CL5	55x11/4	1395x32	60 1520



**Clear Label Holder** 

#### Slanted Label Holders

Gray solid plastic holder puts 11/4" (32mm) labels on slant for easier viewing.

	Label Size	Fits Shelf Length
Model No.	(in.) (mm)	(in.) (mm)
9990SL	3x1 <sup>1</sup> / <sub>4</sub> 75x32	All
9990SL1	13x1 <sup>1</sup> / <sub>4</sub> 330x32	18 457
9990SL2	19x1 <sup>1</sup> / <sub>4</sub> 480x32	24 610
9990SL30	25x1 <sup>1</sup> / <sub>4</sub> 635x32	30 760
9990SL3	31x1 <sup>1</sup> / <sub>4</sub> 725x32	36 914
9990SL4	43x1 <sup>1</sup> / <sub>4</sub> 1090x32	48 1219
9990SL5	55x1 <sup>1</sup> / <sub>4</sub> 1395x32	60 1520



Slanted Label Holder

#### Material specifications

- Color Shelf Markers, 11/4" High Gray Label Holders, Slanted Label Holders Rigid PVC; suitable for continuous use in a temperature range of -20° to 165°F (-28° to 73°C)
- Clear Label Holders CAB plastic; suitable for continuous use in a temperature range of -20° to 120°F (-28° to 49°C) • Label holders are not cart washable or autoclavable.

Notes for Shelf Markers and Label Holders: • If ledges are desired on the front of the shelf where the label holder is most often attached, the label holder or color shelf marker must be mounted between the vertical support wires of the ledge.

Label holders work with standard wire shelving styles — Super Erecta, Super Adjustable, qwikSLOT, Drop Mat wire shelving, cantilever shelves.
Designed for use with 1\* (25mm) high labels.



#### InterMetro Industries Corporation

North Washington Street, Wilkes-Barre, PA 18705 Product Information. U.S. and Canada: 1.800.992.1776

Outside U.S. and Canada: www.metro.com/contactus

L02-008 Printed in U.S.A Rev. 12/19

Information and specifications are subject to change without notice. Please confirm at time of order



### Grids and Brackets

#### Grids

Attach easily to shelf frames or to the wall to provide a structure for mounting baskets, hooks, hangers, and other storage, workspace management, or display accessories. Accessories can be found in this spec sheet (10.05) and in spec sheet 10.41.

- Grid openings: 23/4"x23/4" (70x70mm)
- Weight capacity: 250 lb. (112.5kg)

	Model No.			App	
Model No.	Metroseal 3		Size	Pkd.	
Plated	with Microban®	(in.)	(mm)	(lbs.)	(kg)
WG1836BR	WG1836K3	18x36	457x914	9	4.1
WG1848BR	WG1848K3	18x48	457x1219	12	5.4
WG1860BR	WG1860K3	18x60	457x1524	14	6.4
*	WG2436K3	24x36	610x914	12	5.4
*	WG2448K3	24x48	610x1219	15.5	7
*	WG3036K3	30x36	762x914	12.8	5.8
*	WG3048K3	30x48	762x1219	16.5	7.5
PBA-GPC		33x54	840x1370	21	9.5




Note: Consult your Metro representative for availability of stainless steel or decorative epoxy gric

#### Grid Clamp (for Shelf)

Allows the grid to attach to a wire or solid shelf frame. Minimum of four are needed to secure a grid to a shelf. Bag of 8 clamp assemblies. (Available by the bag only). Brite Zinc Finish Model No. 9970Z Stainless Steel Finish Model No. 9970S





Grid Clamp

SWGB2

WGBRKT

#### Stainless Steel Direct Wall Mount Brackets

Stainless grid brackets allow the grid to attach to the wall and be removed for easy cleaning. Kit includes 6 brackets. Approximate packaged weight is 2 lb. (0.9kg). Model No. SWGB2

#### Plastic Direct Wall Mount Bracket

Black plastic clamps attach grid to the wall. Kit includes 6 brackets. Approximate packaged weight is 2 lb. (0.9kg). Model No. WGBRKT

#### Hanger Rails

Convenient rail fits on posts along the width or length of the unit. Suitable for use with hanging storage baskets, hooks, and extension display hangers.

			Appi	ΌΧ.	
Model No.	Len	igth†	Pkd.	Wt.	
Chrome	(in.)	(mm)	(lbs.)	(kg)	
H114C	14	355	1	.45	
H118C	18	457	<b>1</b> 1/4	.57	
H124C	24	610	<b>1</b> <sup>1</sup> / <sub>2</sub>	.68	
H130C	30	760	<b>1</b> <sup>1</sup> /2	.68	
H136C	36	914	2	.90	
H148C	48	1219	2 <sup>1</sup> /2	1.13	

†14", 18" and 24" (355, 457 and 610mm) sizes fit shelf width (depth). 30°, 36° and 48° (760, 914 and 1219mm) sizes fit shelf length. Weight capacity — 25 lb. (11.3kg) evenly distributed.



Hanger Rail

#### **Cantilever Shelves**

Adds convenient space above a storage unit. Drop mat design creates a retaining ledge around the entire 12" (305mm) deep shelf. Remember to order rear posts taller than front posts to accommodate these shelves.

			Approx.
Model No.	Le	ngth	Pkd. Wt. Each
Chrome	(in.)	(mm)	(lbs.) (kg)
1224CSNC	24	610	4 <sup>1</sup> / <sub>2</sub> 2.0
1230CSNC	30	750	5 2.3
1236CSNC	36	914	53/4 2.6
1242CSNC	42	1066	6 <sup>3</sup> / <sub>4</sub> 3.1
1248CSNC	48	1219	73/4 3.5
1260CSNC	60	1524	9 <sup>1</sup> / <sub>2</sub> 4.3

Weight capacity - 150 lb. (67.5kg) evenly distributed.

#### **Storage Baskets**

Generous-sized baskets attach in seconds to a hanger rail, wire shelf, enclosure panel, or grid. Weight capacity - 20 lb. (9kg).

Model No.	Model No. Metroseal 3 with	Width/Len	gth/Depth	App Pkd.	
Chrome	Microban®	(in.)	(mm)	(lbs.)	(kg)
H209C	H209K3	13³/ଃ x 5x7	345x127x180	8 <sup>1</sup> /2	4
H210C	H210K3	17³/8 x 7¹/₂ x 5	440x190x127	7	3
H212C	H212K3	17 <sup>3</sup> /8 x 7 <sup>1</sup> /2 x 10	440x190x255	11	5

#### **File Basket**

The convenient place to keep files and papers.

- Measures 25/8"W. x 123/4" L. x 83/4" H. (67mm W. x 324mm L. x 222mm H.).
- Large enough to hold standard-size file folders.
- Chrome plated.
- Weight capacity 20 lb. (9kg).

	Width/Length	Height	Approx. Pkd Wt.
Model No.	(in.) (mm)	(in.) (mm)	(lbs.) (kg)
PH1239C	2 <sup>5</sup> /8x12 <sup>3</sup> /4 63x330	8 <sup>3</sup> / <sub>4</sub> 228	2.1 1.0

#### **Extension Display Hanger**

Snaps on Super Erecta Shelf hanger rails, shelves, enclosure panels, and grids. Accepts standard carded merchandise.

		Approx.	
Model No.	Length (in.) (mm)	Pkd. Wt. (Ibs.) (kg)	Finish/Color
HHK6C	6 152	.25 .1	Chrome
HHK6B	6 152	.25 .1	Black
HHK8C	8 203	.25 .1	Chrome
HHK8B	8 203	.25 .1	Black

\*White, smoked glass and designer colors also available. Allow 4-6 week lead time.

**Cantilever Shelves** 

Large Display/Storage Basket

File Basket









Job



## WIRE SHELVING ACCESSORIES

### Swing Hanger

Attaches to post to provide convenient storage for hanging items. Black epoxy finish.

		Weight
	Arm Length	Capacity
Model No.	(in.) (mm)	(lbs.) (kg)
H110BL	6 <sup>1</sup> / <sub>4</sub> 160	20 9

#### **Snap-On Hooks**

Multi-purpose hooks in three styles attach to hanger rails, mounting rails, shelves, enclosure panels, or grids for instant access.

Model No.		Hei	ight
Chrome	Description	(in.)	(mm)
HK23C	Style A — Small	37/16	90
HK25C	Style B — Large	3 <sup>7</sup> /16	90
HK26C	Style C — Double	37/16	90
Weight capa	cities: Sinale Hook — 5 lb. (2.3ka)		

Double Hook — 10 lb. (4.6kg)

#### Garment Hanger Tube with Brackets

Hanger tubes attach easily under Super Erecta shelves for hanging garments. Available in 18", 21" and 24" (457, 530 and 610mm) widths and in same length as shelves.

Shelf Width 18" (457mm)	Shelf Width 21" (530mm)	Shelf Width* 24" (610mm)	Tube Length (in.) (mm)	Approx. Pkd. Wt. (Ibs.) (kg)
AT2418NC	AT2421NC	AT2424NC	24 610	2 <sup>1</sup> / <sub>2</sub> 1.1
AT3018NC	AT3021NC	AT3024NC	30 760	2 <sup>1</sup> / <sub>2</sub> 1.1
AT3618NC	AT3621NC	AT3624NC	36 914	3 1.4
AT4218NC	AT4221NC	AT4224NC	42 1066	3 <sup>1</sup> / <sub>2</sub> 1.6
AT4818NC	AT4821NC	AT4824NC	48 1219	3 <sup>1</sup> / <sub>2</sub> 1.6
AT6018NC	AT6021NC	AT6024NC	60 1524	4 1.8
AT7218NC	AT7221NC	AT7224NC	72 1828	4 <sup>1</sup> / <sub>2</sub> 2.0


Weight capacity — 75 lb. (34kg) evenly distributed. \*Also works with 30° (760mm) and 36° (914) width shelves.



В

С

Snap-On Hooks



Garment Hanger Tube with **Brackets** 



an Ali Group Company

